C00.0 - C00.9 Lip C01.9 Base of Tongue C02.0 - C02.9 Other Parts of Tongue C03.0 - C03.9 Gum

C04.0 - C04.9 Floor of Mouth

C05.0 - C05.9 Palate

C06.0 - C06.9 Other Parts of Mouth

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

Procedures in codes <u>20-27</u> include, but are not limited to:

Shave

Wedge resection

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - **21** Photodynamic therapy (PDT)
 - **22** Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Procedures in code 30 include, but are not limited to:

Hemiglossectomy

Partial glossectomy

30 Wide excision, NOS

Procedures in codes 40-43 include, but are not limited to:

Radical glossectomy

- 40 Radical excision of tumor, NOS
 - 41 Radical excision of tumor ONLY
 - 42 Combination of 41 WITH en bloc mandibulectomy (marginal, segmental, hemi-, or total)
 - 43 Combination of 41 WITH en bloc maxillectomy (partial, subtotal, total)
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional cervical lymph nodes are:

Caudual jugular (deep cervical)

Caudual jugular (deep cervical)

Dorsal cervical (superficial cervical)

Medial jugular (deep cervical)

Occipital

Paratracheal (anterior cervical)

Prelaryngeal (anterior cervical)

Retroauricular (mastoid, posterior auricular)

Submandibular (submaxillary)

Submental

Supraclavicular

- **0** No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 Selective, limited; nodal sampling; "berry picking"
 - 4 Modified / modified radical
 - 5 Radical
- **9** Unknown; not stated; death certificate only

Terminology of neck dissection (Robbins et al. 1991):

A <u>radical neck dissection</u> includes the removal of all ipsilateral cervical lymph node groups, i.e., lymph nodes from levels I through V (submental, submandibular, cranial jugular, medial jugular, caudal jugular, dorsal cervical nodes along the accessory nerve, and supraclavicular), and removal of the spinal accessory nerve, internal jugular vein and sternocleidomastoid muscle.

In a <u>modified radical neck dissection</u>, the same lymph nodes are removed as in a radical neck dissection; however, one or more non-lymphatic structures are preserved.

A <u>selective neck dissection</u> is a neck dissection with preservation of one or more lymph node groups routinely removed in radical neck dissection.

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

......

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Mandibulectomy (marginal, segmental, hemi-, or total)
 - 4 <u>Maxillectomy</u> (partial, subtotal, or total)

Code a <u>mandibulectomy</u> or a <u>maxillectomy</u> in this field only if the procedure is NOT a part of an <u>en bloc resection</u> of the primary tumor. (An <u>en bloc resection</u> is the removal of organs in one piece at one time.) If the mandibulectomy or maxillectomy ARE a part of an en bloc resection of the primary tumor, code under "Surgery of Primary Site."

- 5 Distant lymph node(s)
- **6** Distant site(s)
- 7 Combination of 6 WITH 2, 3, 4, or 5
- **9** Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Flaps, grafts, or any type of "plasty," NOS
 - 2 WITHOUT implant / prosthesis
 - 3 WITH implant / prosthesis
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

C07.9 Parotid Gland C08.0 - C08.9 Major Salivary Glands

- **0** None; no cancer-directed surgery of primary site
- 4 Open
- 9 Death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - **22** Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- 30 Less than total parotidectomy, NOS
 - **31** Facial nerve spared
 - 32 Facial nerve sacrificed
 - 33 Superficial lobe ONLY
 - 34 Facial nerve spared
 - 35 Facial nerve sacrificed
 - 36 Deep lobe (WITH or WITHOUT superficial lobe)
 - 37 Facial nerve spared
 - 38 Facial nerve sacrificed
- 40 Total parotidectomy, NOS
 - 41 Facial nerve spared
 - 42 Facial nerve sacrificed
- 50 Radical parotidectomy, NOS
 - 51 WITHOUT removal of temporal bone
 - **52** WITH removal of temporal bone
- 80 Parotidectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional cervical lymph nodes are:

Buccal (facial)

Caudal jugular (deep cervical)

Cranial jugular (deep cervical)

Dorsal cervical (superficial cervical)

Medial jugular (deep cervical)

Occipital

Paratracheal (anterior cervical)

Parotid

Prelaryngeal (anterior cervical)

Retroauricular (mastoid, posterior auricular)

Retropharyngeal

Submandibular (submaxillary)

Submental

Supraclavicular

- **0** No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 Selective, limited; nodal sampling; "berry picking"
 - 4 Modified / modified radical
 - 5 Radical
- **9** Unknown; not stated; death certificate only

Terminology of neck dissection (Robbins et al. 1991):

A <u>radical neck dissection</u> includes the removal of all ipsilateral cervical lymph node groups, i.e., lymph nodes from levels I through V (submental, submandibular, cranial jugular, medial jugular, caudal jugular, dorsal cervical nodes along the accessory nerve, and supraclavicular), and removal of the spinal accessory nerve, internal jugular vein and sternocleidomastoid muscle.

In a <u>modified radical neck dissection</u>, the same lymph nodes are removed as in a radical neck dissection; however, one or more non-lymphatic structures are preserved.

A <u>selective neck dissection</u> is a neck dissection with preservation of one or more lymph node groups routinely removed in radical neck dissection.

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- 0 No reconstruction / restoration
- 1 Flaps, grafts, or any type of "plasty," NOS
 - 2 WITHOUT implant / prosthesis
 - 3 WITH implant / prosthesis
- **8** Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

C09.0 - C09.9	Tonsil
C10.0 - C10.9	Oropharynx
C11.0 - C11.9	Nasopharynx
C12.9	Pyriform Sinus
C13.0 - C13.9	Hypopharynx
C14.0	Pharynx

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 Stripping

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - **26** Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- 30 Pharyngectomy, NOS
 - 31 Limited/partial pharyngectomy
 - 32 Total pharyngectomy
- 40 Pharyngectomy WITH mandibulectomy (marginal, segmental, hemi-, and/or laryngectomy), NOS
 - **41** WITH laryngectomy (laryngopharyngectomy)
 - 42 WITH mandibulectomy
 - 43 WITH both 41 and 42
- 50 Radical pharyngectomy (includes total mandibular resection), NOS
 - **51** WITHOUT laryngectomy
 - **52** WITH laryngectomy
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- **9** Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional cervical lymph nodes are:

Buccal (facial)

Caudal jugular (deep cervical)

Cranial jugular (deep cervical)

Dorsal cervical (superficial cervical)

Medial jugular (deep cervical)

Occipital

Paratracheal (anterior cervical)

Parotid

Prelaryngeal (anterior cervical)

Retroauricular (mastoid, posterior auricular)

Retropharyngeal

Submandibular (submaxillary)

Submental

Supraclavicular

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 <u>Selective</u>, limited; nodal sampling; "berry picking"
 - 4 Modified / modified radical
 - 5 Radical
- 9 Unknown; not stated; death certificate only

Terminology of neck dissection (Robbins et al. 1991):

A <u>radical neck dissection</u> includes the removal of all ipsilateral cervical lymph node groups, i.e., lymph nodes from levels I through V (submental, submandibular, cranial jugular, medial jugular, caudal jugular, dorsal cervical nodes along the accessory nerve, and supraclavicular), and removal of the spinal accessory nerve, internal jugular vein and sternocleidomastoid muscle.

In a <u>modified radical neck dissection</u>, the same lymph nodes are removed as in a radical neck dissection; however, one or more non-lymphatic structures are preserved.

A <u>selective neck dissection</u> is a neck dissection with preservation of one or more lymph node groups routinely removed in radical neck dissection.

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Laryngectomy ONLY
 - 3 Mandibulectomy ONLY (marginal, segmental, or hemi-)
 - 4 Combination of 2 and 3
 - 5 Removal of other regional sites
 - 6 Combination of 5 with 2-4
 - 7 Removal of other distant sites(s) or distant lymph node(s)
 - 8 Combination of 7 WITH any of 2-6
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

Code only the following procedures:

Myocutaneous flaps (pectoralis major, trapezius) Reconstruction of mandible Regional flaps

- **0** No reconstruction / restoration
- 1 Reconstruction / restoration, NOS
 - 2 WITHOUT implant / prosthesis
 - 3 WITH implant / prosthesis
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

C15.0 - C15.9

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS (procedures include esophagoscopy, mediastinoscopy, thoracoscopy)
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Trans-hiatal
 - 6 Thoracotomy (includes split sternum)
 - 7 Laparotomy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - **22** Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- 30 Partial esophagectomy
- **40** Total esophagectomy
- 50 Partial esophagectomy WITH laryngectomy and/or gastrectomy, NOS
 - **51** WITH laryngectomy
 - 52 WITH gastrectomy, NOS
 - 53 Partial gastrectomy
 - **54** Total gastrectomy
 - 55 Combination of 51 WITH any of 52-54
- 60 Total esophagectomy, NOS WITH laryngectomy and/or gastrectomy, NOS
 - **61** WITH laryngectomy
 - 62 WITH gastrectomy, NOS
 - **63** Partial gastrectomy
 - **64** Total gastrectomy
 - 65 Combination of 61 WITH any of 62-64
- 70 Esophagectomy, NOS WITH pharyngectomy and laryngectomy
- 80 Esophagectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional lymph nodes are different for each anatomical subsite. The following list identifies nodes classified as regional for each subsite:

<u>Cervical esophagus</u> (upper, middle, lower):

Cervical, NOS Carinal

Internal jugular Hilar (pulmonary roots)

Periesophageal Internal jugular Scalene Mediastinal, NOS

Supraclavicular Paracardial
Upper cervical Periesophageal

Perigastric Peritracheal

Superior mediastinal Tracheobronchial

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

Note: Celiac nodes are DISTANT for the intrathoracic esophagus. Code removal of celiac nodes in the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

Code only the following procedures:

Endoluminal stents

Endoprosthesis

Esophageal stents

Esophagogastric fundoplasty

Esophagogastrostomy (cardioplasty)

Esophagojejunostomy

Esophagomyotomy

Esophagoplasty (plastic repair or reconstruction)

Esophagoplasty WITH / WITHOUT repair of a tracheoesophageal fistula

Esophagostomy

Gastropharyngostomy

Interposition of remaining esophagus with stomach using large or small bowel

Self expanding metal vynal

Stent placement in conjunction with cancer-directed surgery

- **0** No reconstruction / restoration
- 1 Reconstruction / restoration, NOS
 - 2 WITHOUT implant / prosthesis
 - 3 WITH implant / prosthesis
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

C16.0 - C16.0

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS (procedures include esophagoscopy, gastroscopy, duodenoscopy, jejunoscopy, laparoscopy)
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - **11** Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - **26** Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Code <u>30</u>, <u>partial gastrectomy</u>, includes a sleeve resection of the stomach.

Billroth I: anastomosis to duodenum (duodenostomy)

Billroth II: anastomosis to jejunum (jejunostomy)

- **30** Gastrectomy, NOS (partial, subtotal, hemi-)
 - **31** Antrectomy, lower (distal)

Resection of less than 40% of stomach

- **32** Lower (distal) gastrectomy (partial, subtotal, hemi-)
- 33 Upper (proximal) gastrectomy (partial, subtotal, hemi-)
- 40 Near-total or total gastrectomy

A total gastrectomy may follow a previous partial resection of the stomach.

- 50 Gastrectomy, NOS, WITH removal of a portion of esophagus
 - **51** Partial or subtotal gastrectomy
 - 52 Near total or total gastrectomy
- 60 Gastrectomy WITH en bloc resection of other organs, NOS
 - **61** Partial or subtotal gastrectomy WITH en bloc resection
 - 62 Near total or total gastrectomy WITH en bloc resection
 - 63 Radical gastrectomy WITH en bloc resection

An en bloc resection is the removal of organs in one piece at one time, and may include an omentectomy.

- 80 Gastrectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are different for these areas:

<u>Greater Curvature of Stomach</u>
<u>Lesser Curvature of Stomach</u>

Gastroduodenal Cardioesophageal

Gastroepiploic, left Celiac

Gastroepiploic, right or NOS Common hepatic Greater omental Hepatoduodenal

Greater curvature

Pancreaticoduodenal

(anteriorly along the first part of duodenum)

Lesser curvature

(anteriorly along the first part of duodenum)

Lesser curvature

Pyloric, including subpyloric and infrapyloric

Paracardial; cardial

Perigastric, NOS

Pancreatic and Splenic Area

Pancreaticolienal
Peripancreatic
Splenic hilum

0 No regional lymph nodes removed

1 Regional lymph node(s) removed, NOS

9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- **90** Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code the <u>incidental removal</u> of gallbladder, bile ducts, appendix, or vagus nerve. [<u>Incidental removal</u> is when an organ is removed for a reason unrelated to the malignancy (e.g., gallbladder removed for obvious cholelithiasis).]

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional sites, ONLY
 - 3 Removal of distant node(s)
 - 4 Removal of distant site
 - 5 Combination of 2 WITH 3 and/or 4
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Gastrostomy
 - 2 WITHOUT reservoir / pouch
 - 3 WITH reservoir / pouch (abdominal)
- 9 Unknown; not stated; death certificate only

C18.0 - C18.9

- 0 None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS (procedures include colonoscopy, laparoscopy, sigmoidoscopy)
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy (most likely laparoscopy)
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

Note: Code the removal / surgical ablation of single or multiple <u>liver metastases</u> under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- **00** None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - **21** Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - **26** Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Procedures coded <u>30-31</u> include, but are not limited to:

Appendectomy (for an appendix primary only)

Enterocolectomy

Ileocolectomy

Partial colectomy, NOS

Partial resection of transverse colon and flexures

Segmental resection, e.g., cecectomy

Sigmoidectomy

- **30** Partial colectomy, but less than hemicolectomy
 - 31 Partial colectomy WITH permanent <u>colostomy</u> (Hartmann's operation)

Also code colostomy in the data item "Reconstruction / Restoration - First Course."

40 <u>Hemicolectomy</u> or greater (but less than total); Right or left colectomy

A hemicolectomy is the removal of total right or left colon and a portion of transverse colon.

- 50 Total colectomy (removal of colon from cecum to the rectosigmoid or a portion of the rectum)
- 60 Total proctocolectomy (commonly used for familial polyposis or polyposis coli)

SURGERY OF PRIMARY SITE (cont.)

70 Colectomy or coloproctectomy WITH an en bloc resection of other organs; pelvic exenteration

Code <u>70</u> includes any colectomy (partial, hemicolectomy, or total) WITH an <u>en bloc resection</u> of any other organs. The other organs may be partially or totally removed. Procedures that may be a part of an en bloc resection include, but are not limited to: oophorectomy, partial proceeding, rectal mucosectomy.

En bloc resection is the removal of organs in one piece at one time.

The creation of **ileal reservoir** which is a part of a <u>pelvic exenteration</u> **must also be coded** in the data item "Reconstruction / Restoration - First Course."

- 80 Colectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The pathology report often describes regional lymph nodes by their anatomic location: colic nodes; mesenteric nodes; peri-\epi-\para-\ colic. Regional lymph nodes differ for each anatomical subsite. The following list identifies the regional lymph nodes for each subsite of the colon:

 Cecum and Appendix
 Hepatic flexure
 Descending colon

 Anterior cecal
 Middle colic
 Inferior mesenteric

 Hepatic flexure
 Left colic

IleocolicRight colicLeft colicPosterior cecalSigmoid

Right colic <u>Transverse colon</u>

Middle colic Sigmoid colon
Inferior mesenteric

Ascending colon Inferior mesenteric
Ileocolic Splenic flexure Sigmoid mesenteric

Middle colic Inferior mesenteric Sigmoidal

Right colic Superior rectal (hemorrhoidal)

Left colic

Superior mesenteric, external iliac and common iliac nodes are DISTANT lymph nodes. Code the removal of any of these nodes in the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

0 No regional lymph nodes removed

1 Regional lymph node(s) removed, NOS

9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- **01** One regional lymph node removed
- 02 Two regional lymph nodes removed

.

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code the <u>incidental removal</u> of appendix, gallbladder, bile ducts, or spleen. [<u>Incidental removal</u> is when an organ is removed for a reason unrelated to the malignancy (e.g., gallbladder removed for obvious cholelithiasis).]

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional site(s), ONLY
 - 3 Removal / surgical ablation of single liver metastasis
 - 4 Removal / surgical ablation of multiple liver metastases
 - 5 Combination of codes 2 and 3 or 4
 - 6 Removal of other distant site(s) or distant lymph node(s), ONLY
 - 7 Combination of code 6 WITH 3 or 5
 - 8 Combination of code 6 WITH 4
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

Do not code anastomosis as reconstruction.

- 0 No reconstruction / restoration
- 1 Colostomy (permanent)
- 2 Ileostomy, NOS
 - 3 WITHOUT a reservoir or pouch
 - 4 WITH an abdominal reservoir or pouch
 - 5 WITH an anal reservoir or pouch; artificial sphincter
- 9 Unknown; not stated; death certificate only

C19.9

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS (includes laparoscopic)
- 4 Open, NOS
 - 5 Transanal
 - 6 Posterior; coccygeal; trans-sacral; abdominosacral
 - 7 Low anterior (LAR)
 - **8** Abdominal perineal (AP)
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

Note: Code removal / surgical ablation of single or multiple <u>liver metastases</u> under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- **00** None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser ablation

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - **26** Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Procedures coded 30 include, but are not limited to:

Anterior resection

Hartmann's operation

Low anterior resection

Partial colectomy, NOS

Rectosigmoidectomy, NOS

Sigmoidectomy

30 Wedge or segmental resection; partial proctosigmoidectomy, NOS

Procedures coded 40 include, but are not limited to:

Altemeier's operation

Duhamel's operation

Soave's submucosal resection

Swenson's operation

Turnbull's operation

40 Pull through WITH sphincter preservation (coloanal anastomosis)

SURGERY OF PRIMARY SITE (cont.)

Procedures coded <u>50</u> include, but are not limited to:

Abdominoperineal resection (A & P resection)

Anterior/posterior resection (A/P resection) / Miles' operation

Rankin's operation

- **50** Total proctectomy
- 51 Total colectomy (removal of the colon from cecum to the rectosigmoid or a portion of the rectum)
- 60 Combination of 50 and 51
- 70 Colectomy or proctocolectomy WITH an en bloc resection of other organs; pelvic exenteration

<u>En bloc resection</u> is the removal of organs in one piece at one time. Procedures that may be a part of an en bloc resection include, but are not limited to: an oophorectomy and a rectal mucosectomy.

Code <u>70</u> includes any colectomy (partial, hemicolectomy, or total) WITH an <u>en bloc resection</u> of any other organs. The other organs may be partially or totally removed.

An ileal reservoir which is part of a <u>pelvic exenteration</u> should be coded in the data item "Reconstruction / Restoration - First Course."

- 80 Colectomy, NOS; Proctectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The pathology report often identifies regional lymph nodes by their anatomic location: colic; mesenteric; peri-/para-/colic; perirectal; rectal.

The specific regional lymph nodes are:

Inferior mesenteric

Left colic

Middle rectal (hemorrhoidal)

Perirectal

Sigmoid mesenteric

Sigmoidal

Superior rectal (superior hemorrhoidal)

Superior mesenteric, external iliac and common iliac nodes are DISTANT nodes. Code removal of these nodes under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code the <u>incidental removal</u> of appendix, gallbladder, or bile ducts. [<u>Incidental removal</u> is when an organ is removed for a reason unrelated to the malignancy (e.g., gallbladder removed for obvious cholelithiasis)].

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional site(s), ONLY
 - 3 Removal / surgical ablation of single liver metastasis
 - 4 Removal / surgical ablation of multiple liver metastases
 - 5 Combination of codes 2 and 3 or 4
 - 6 Removal of other distant site(s) or distant lymph node(s), ONLY
 - 7 Combination of code 6 WITH 3, 4 or 5
 - 8 Combination of code 6 WITH 3 or 5
- 9 Unknown; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Colostomy (permanent)
- 2 Ileostomy, NOS
 - 3 WITHOUT a reservoir or pouch
 - 4 WITH an abdominal reservoir or pouch
 - 5 WITH an anal reservoir or pouch; artificial sphincter
- 9 Unknown; not stated; death certificate only

RECTUM

C20.9

- 0 None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS (includes laparoscopy)
- 4 Open, NOS
 - 5 Transanal (Kraske, York-Mason)
 - 6 Posterior; coccygeal; trans-sacral; abdominosacral
 - 7 Low anterior (LAR)
 - **8** Abdominal perineal (AP)
- 9 Unknown; not stated; death certificate only

RECTUM

SURGERY OF PRIMARY SITE

Note: Code removal / surgical ablation of single or multiple <u>liver metastases</u> under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - **11** Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - **22** Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - **26** Polypectomy
 - 27 Excisional biopsy
 - 28 Curette and fulguration

Specimen sent to pathology from this surgical event.

Procedures coded 30 include, but are not limited to:

Anterior resection

Hartmann's operation

Low anterior resection (LAR)

Trans-sacral rectosigmoidectomy

30 Wedge or segmental resection; partial proctectomy, NOS

Procedures coded 40 include, but are not limited to:

Altemeier's operation

Duhamel's operation

Soave's submucosal resection

Swenson's operation

Turnbull's operation

40 Pull through WITH sphincter preservation (coloanal anastomosis)

RECTUM

SURGERY OF PRIMARY SITE (cont.)

Procedures coded <u>50</u> include, but are not limited to:

Abdominoperineal resection (A & P resection) Anterior/Posterior (A/P) resection / Miles' operation Rankin's operation

- **50** Total proctectomy
- 60 Total proctocolectomy, NOS
- 70 Proctectomy or proctocolectomy WITH an en bloc resection of other organs; pelvic exenteration

En bloc resection is the removal of organs in one piece at one time.

The creation of an **ileal reservoir** which is a part of a <u>pelvic exenteration</u> should be coded in the data item "Reconstruction / Restoration - First Course."

- 80 Proctectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

RECTUM

SCOPE OF REGIONAL LYMPH NODE SURGERY

The pathology report often identifies regional lymph nodes by their anatomic location: mesenteric nodes; perirectal nodes; rectal nodes.

The specific regional lymph nodes are:

Inferior rectal (hemorrhoidal)

Inferior mesenteric

Internal iliac

Lateral sacral

Middle rectal (hemorrhoidal)

Perirectal

Presacral

Sacral promontory (Gerota's)

Sigmoid mesenteric

Superior rectal (hemorrhoidal)

Superior mesenteric, external iliac and common iliac nodes are classified as DISTANT lymph nodes. Code removal of these nodes under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- **01** One regional lymph node removed
- **02** Two regional lymph nodes removed

.

- **90** Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

RECTUM

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code the <u>incidental removal</u> of appendix, gallbladder, bile ducts, or spleen. [<u>Incidental removal</u> is when an organ is removed for a reason unrelated to the malignancy (e.g., gallbladder removed for obvious cholelithiasis).]

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional site(s), ONLY
 - 3 Removal / surgical ablation of single liver metastasis
 - 4 Removal / surgical ablation of multiple liver metastases
 - 5 Combination of codes 2 with 3 or 4
 - 6 Removal of other distant site(s) or distant lymph node(s), ONLY
 - 7 Combination of code 6 WITH 3, 4 or 5
 - 8 Combination of code 6 WITH 3 or 5
- 9 Unknown; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Colostomy (permanent)
- 2 Ileostomy, NOS
 - 3 WITHOUT a reservoir or pouch
 - 4 WITH an abdominal reservoir or pouch
 - 5 WITH an anal reservoir or pouch; artificial sphincter
- 9 Unknown; not stated; death certificate only

C21.0 - C21.8

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

00 None; no cancer-directed surgery of primary site

Procedures for codes 10-14 include, but are not limited to:

Cryosurgery

Electrocautery

Excisional biopsy

Laser

Thermal ablation

10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)

- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser

No specimen sent to pathology from this surgical event.

20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)

- 21 Photodynamic therapy (PDT)
- **22** Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision
- **26** Polypectomy
- 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Note: Margins of resection may have microscopic involvement.

- 60 Abdominal perineal resection, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Perirectal, anorectal lymph nodes
 - 3 Internal iliac lymph nodes (hypogastric), unilateral
 - 4 Inguinal lymph nodes, unilateral
 - 5 Combination of 2 and 4
 - 6 Bilateral internal iliac and/or bilateral inguinal lymph nodes
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

•••••

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Colostomy (permanent)
- 2 Ileostomy, NOS
 - 3 WITHOUT a reservoir or pouch
 - 4 WITH an abdominal reservoir or pouch
 - 5 WITH an anal reservoir or pouch; artificial sphincter
- 9 Unknown; not stated; death certificate only

LIVER and INTRAHEPATIC BILE DUCTS

C22.0, C22.1

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy ONLY, NOS (laparoscopy)
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 Alcohol (PEI)
 - 16 Heat
 - 17 Other (ultrasound, acetic acid)
- 20 Wedge resection, NOS; segmental resection
- 30 Lobectomy, NOS
 - 31 Simple
 - 32 Extended (resection of a single lobe plus a segment of another lobe)
- **40** Excision of a bile duct (for an intrahepatic bile duct primary only)
- 70 Total hepatectomy with transplant
 - A liver transplant must also be coded under the data item "Reconstruction / Restoration First Course."
- 80 Hepatectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

LIVER and INTRAHEPATIC BILE DUCTS

SURGICAL MARGINS

- 0 All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional lymph nodes are the hilar nodes...:

- ...along the portal vein
- ...along the inferior vena cava
- ...along the proper hepatic artery
- ...at the hepatic pedicle
- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- **9** Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

• • • • •

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

LIVER and INTRAHEPATIC BILE DUCTS

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s) (includes inferior phrenic lymph nodes)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Rioux-en-Y; hepatojejunostomy including stent
- 2 Liver transplant
- 9 Unknown; not stated; death certificate only

PANCREAS

C25.0 - C25.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS (laparoscopy)
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local excision of tumor, NOS
- 20 Partial pancreatectomy, NOS
- **40** Total pancreatectomy
- 50 Local or partial pancreatectomy and duodenectomy
 - **51** Without subtotal gastrectomy
 - **52** With subtotal gastrectomy (Whipple)
- 60 Total pancreatectomy and subtotal gastrectomy or duodenectomy
- 70 Extended pancreatoduodenectomy
- 80 Pancreatectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

PANCREAS

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Celiac (head only)

Hepatic artery

Infrapyloric (head only)

Lateral aortic

Pancreaticolienal (body and tail only)

Peripancreatic (superior, inferior, anterior, posterior splenic)

Retroperitoneal

Splenic (body and tail only)

Subpyloric (head only)

Superior mesenteric

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Extended lymphadenectomy

An <u>extended pancreaticoduodenectomy</u> incorporates selected aspects of the Whipple procedure and regional pancreatectomy. A <u>wide Kocher maneuver</u> removes all lymphatic tissue over the medial aspect of the right kidney, inferior vena cava, and left renal vein.

9 Unknown; not stated; death certificate only

PANCREAS

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODE(S)

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Removal of other regional sites, ONLY
 - 3 Removal of distant node(s)
 - 4 Removal of distant site
 - 5 Combination of 2 WITH 3 and/or 4
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

Use the following code only:

9 Not applicable (There are no known reconstructive procedures for this site.)

C32.0 - C32.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- **00** None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - **11** Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 Stripping

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - **26** Polypectomy
 - 27 Excisional biopsy
 - 28 Stripping

Specimen sent to pathology from this surgical event.

- 30 Partial excision of the primary site, NOS; subtotal/partial laryngectomy NOS; hemilaryngectomy NOS
 - **31** Vertical laryngectomy
 - 32 Anterior commissure laryngectomy
 - **33** Supraglottic laryngectomy
- 40 Total or radical laryngectomy, NOS
 - 41 Total laryngectomy ONLY
 - 42 Radical laryngectomy ONLY
- **50** Pharyngolaryngectomy
- 80 Laryngectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional cervical lymph nodes are:

Buccal (facial)

Caudal jugular (deep cervical)

Cranial jugular (deep cervical)

Dorsal cervical (superficial cervical)

Medial jugular (deep cervical)

Occipital

Paratracheal (anterior cervical)

Parotid

Prelaryngeal (anterior cervical)

Retroauricular (mastoid, posterior auricular)

Retropharyngeal

Submandibular (submaxillary)

Submental

Supraclavicular

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 Selective, limited; nodal sampling; "berry picking"
 - 4 Modified / modified radical
 - 5 Radical
- 9 Unknown; not stated; death certificate only

Terminology of neck dissection (Robbins et al. 1991):

A <u>radical neck dissection</u> includes the removal of all ipsilateral cervical lymph node groups, i.e., lymph nodes from levels I through V (submental, submandibular, cranial jugular, medial jugular, caudal jugular, dorsal cervical nodes along the accessory nerve, and supraclavicular), and removal of the spinal accessory nerve, internal jugular vein and sternocleidomastoid muscle.

In a <u>modified radical neck dissection</u>, the same lymph nodes are removed as in a radical neck dissection; however, one or more non-lymphatic structures are preserved.

A <u>selective neck dissection</u> is a neck dissection with preservation of one or more lymph node groups routinely removed in radical neck dissection.

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Flaps, grafts, or any "plastys," NOS
 - 2 WITHOUT implant / prosthesis
 - 3 WITH implant / prosthesis
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

C34.0 - C34.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Bronchoscopy
 - 3 Mediastinoscopy
 - 4 Thoracoscopy
- 5 Open, NOS (thoracotomy, sternotomy)
 - 6 Not assisted by endoscopy
 - 7 Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction or excision, NOS; Photodynamic therapy (PDT)
 - 11 Excision
 - 12 Laser ablation or excision
 - **13** Cautery; fulguration
 - 14 Bronchial sleeve resection ONLY
- 20 Resection of less than one lobe
 - 21 Wedge resection
 - 22 Segmental resection, including lingulectomy
- 30 Resection of at least one lobe, but less than the whole lung (partial pneumonectomy, NOS)
 - 31 Lobectomy
 - 32 Bilobectomy

Procedures coded 40 include, but are not limited to:

Complete pneumonectomy

Pneumonectomy, NOS

Sleeve pneumonectomy

Standard pneumonectomy

Total pneumonectomy

- 40 Resection of whole lung
- **50** Resection of lung WITH an <u>en bloc resection</u> of other organs
 - 51 Wedge resection
 - **52** Lobectomy
 - 53 Bilobectomy
 - **54** Pneumonectomy (less than a radical or extended pneumonectomy)

En bloc resection is the removal of organs in one piece at one time.

60 Radical pneumonectomy (a complete pneumonectomy WITH removal of mediastinal lymph nodes)

 $\underline{Removal\ of\ mediastinal\ nodes}\ is\ also\ coded\ in\ the\ data\ fields\ "Scope\ of\ Regional\ Lymph\ Node\ Surgery"\ and\ "Number\ of\ Regional\ Nodes\ Removed."$

SURGERY OF PRIMARY SITE (cont.)

70 Extended radical pneumonectomy [a radical pneumonectomy (including <u>removal of mediastinal nodes</u>) and the removal of other tissues or nodes]

<u>Removal of mediastinal nodes</u> is also coded in the data fields "Scope of Regional Lymph Node Surgery" and "Number of Regional Nodes Removed."

- 80 Resection of lung, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- 0 All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

Mediastinal nodes are:

Aortic (includes subaortic, aorticopulmonary window, periaortic, including ascending aorta or including azygos)

Periesophageal

Peritracheal (including those that may be designated tracheobronchial, i.e., lower peritracheal, phrenic)

Pre- and retrotracheal (includes precarinal)

Pulmonary ligament

Subcarinal

- No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Intrapulmonary (includes interlobar, lobar, segmental), ipsilateral hilar and/or ipsilateral peribronchial nodes
 - 3 Ipsilateral mediastinal and/or subcarinal nodes
 - 4 Combination of 2 and 3
 - 5 Contralateral mediastinal, contralateral hilar, ipsilateral or contralateral scalene and/or supraclavicular nodes
 - 6 Combination of 5 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- **02** Two regional lymph nodes removed

....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code the <u>incidental removal</u> of ribs (ribs are removed to provide access to the lung).

- **0** None; no surgery to other regional sites, distant sites or distant lymph nodes
- 1 Surgery to other site(s)or node(s), NOS; unknown if regional or distant
- 2 Surgery to a regional site ONLY
 - 3 Removal of a solitary lesion in the <u>same</u> lung (primary site), different (non-primary) lobe
 There is one primary: Patient has two tumors with the same histology in different lobes of the <u>same</u> lung.
 - 4 Resection of metastasis in a distant site(s) or resection of distant lymph nodes(s), NOS
 - 5 Removal of a solitary lesion in the <u>contralateral</u> lung

 Patient has one primary: There is a primary tumor or tumor(s) in one lung and a solitary metastatic lesion in the contralateral lung.
 - 6 Removal of a solitary lesion in a distant site or a distant lymph node, NOS
 This includes, but is not limited to, the removal of a solitary metastatic brain lesion.
 - 7 Removal of multiple lesions in distant site(s)
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Chest wall reconstruction / restoration, NOS
- **9** Unknown; not stated; death certificate only

BONES, JOINTS, CARTILAGE, NERVES, OTHER CONNECTIVE and SOFT TISSUES

C40.0 - C40.9, C41.0 - C41.9 Bones, Joints, and Articular Cartilage
C47.0 - C47.9 Peripheral Nerves and Autonomic Nervous System
C49.0 - C49.9 Connective, Subcutaneous and Other Soft Tissues

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction or excision
- 20 Partial resection / internal hemipelvectomy (pelvis)
- 30 Radical excision or resection of lesion with limb salvage
- 40 Amputation of limb
 - 41 Partial amputation of limb
 - 42 Total amputation of limb
- 50 Major amputation, NOS
 - 51 Forequarter, including scapula
 - 52 Hindquarter, including ilium/hip bone
 - 53 Hemipelvectomy
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

BONES, JOINTS, CARTILAGE, NERVES, OTHER CONNECTIVE and SOFT TISSUES

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

- **0** No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- **01** One regional lymph node removed
- 02 Two regional lymph nodes removed

.

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

BONES, JOINTS, CARTILAGE, NERVES, OTHER CONNECTIVE and SOFT TISSUES

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 5 Distant lymph node(s)
 - **6** Distant site(s)
 - 7 Combination of 6 WITH 2, 3, 4, or 5
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Flap, graft, or any "plasty," NOS
 - 2 WITHOUT implant / prosthesis
 - 3 WITH implant / prosthesis
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

SPLEEN and LYMPH NODES

C42.2, C77.0 - C77.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local excision or destruction, NOS
- 20 Splenectomy, NOS
 - 21 Partial splenectomy
 - 22 Total splenectomy
- 30 Lymph node dissection, NOS
 - 31 One chain
 - 32 Two or more chains
- 40 Lymph node dissection, NOS plus splenectomy
 - 41 One chain
 - 42 Two or more chains
- 50 Lymph node dissection, NOS and partial / total removal of adjacent organ(s)
 - 51 One chain
 - 52 Two or more chains
- 60 Lymph node dissection, NOS and partial / total removal of adjacent organ(s) PLUS splenectomy
 - **61** One chain
 - **62** Two or more chains
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SPLEEN and LYMPH NODES

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SPLEEN and LYMPH NODES

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 5 Distant lymph node(s)
 - 6 Distant site(s)
 - 7 Combination of 6 WITH 2, 3, 4, or 5
- **9** Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

Use the following code only:

9 Not applicable (At this time, reconstructive procedures are not being collected for these sites.)

C44.0 - C44.9

SURGICAL APPROACH

- 0 None; no cancer-directed surgery of primary site
- 4 Open approach
- 9 Death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser ablation

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- **30** Biopsy of primary tumor followed by a gross excision of the lesion
 - 31 Shave biopsy followed by a gross excision of the lesion
 - 32 Punch biopsy followed by a gross excision of the lesion
 - 33 Incisional biopsy followed by a gross excision of the lesion

Less than a wide excision, less than 1 cm margin.

40 Wide excision or re-excision of lesion or minor (local) amputation, NOS

Margins of excision are 1 cm or more. Margins may be microscopically involved.

Local amputation is the surgical resection of digits, ear, eyelid, lip, or nose.

50 Radical excision of a lesion, NOS

Margins of excision are greater than 1 cm and grossly tumor-free. The margins may be microscopically involved.

- 60 Major amputation, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

Regional lymph nodes are different for each anatomical subsite.

Head and neck Arm Anal margin and perianal skin

Cervical Ipsilateral epitrochlear and Ipsilateral inguinal

Ipsilateral preauricular axillary

Submandibular

Supraclavicular

Abdomen, loins, buttocks

Leg

Ipsilateral inguinal and popliteal

Ipsilateral inguinal

Thorax

Ipsilateral axillary

There are boundary zones between the subsites (i.e., between the thorax and arm, the boundary zone is the shoulder and axilla). The boundary zones do not belong to either subsite. If a tumor originates in one of these 4-cm boundary zones, the nodes on either side of the bands are regional.

Between the subsites "Head and neck" and "Thorax", the boundary zone is "clavicula-acromion-upper shoulder blade edge".

Between the subsites "Thorax" and "Arm", the boundary zone is "shoulder-axilla-shoulder".

Between the subsites "Thorax" and "Abdomen, loins, and buttocks", the boundary zones are "middle between navel and costal arch" in the front, and "lower border of thoracic vertebrae (midtransverse axis)" in the back.

Between the subsites "Abdomen, loins, and buttocks" and "Leg", the boundary zone is "groin-trochanter-gluteal sulcus".

Between right and left sides, the boundary zone is the midline.

Iliac, other pelvic, abdominal or intrathoracic lymph nodes are DISTANT. Code the removal of these nodes under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- **0** No regional lymph nodes removed
- 1 Sentinel node, NOS (the first node to receive drainage from a primary tumor, identified by an injection of a dye or radio label at the site of the primary tumor)
- 2 Regional lymph nodes removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Pedicle flap, free flap, skin graft, NOS
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

BREAST

C50.0 - C50.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 4 Open approach, NOS
 - 5 WITHOUT dye or needle localization
 - **6** WITH dye or needle localization
- 9 Death certificate only

BREAST

SURGERY OF PRIMARY SITE

00 None; no cancer-directed surgery of primary site

Procedures coded as <u>10-17</u> remove the gross primary tumor and some of the breast tissue (breast-conserving or breast-preserving). There may be microscopic residual tumor.

- 10 Partial mastectomy, NOS; less than total mastectomy, NOS
 - 11 Nipple resection
 - 12 Lumpectomy or excisional biopsy
 - 13 Re-excision of the biopsy site for gross or microscopic residual disease.
 - 14 Wedge resection
 - 15 Quadrantectomy
 - 16 Segmental mastectomy
 - 17 Tylectomy
- 30 Subcutaneous mastectomy (the removal of breast tissue without the nipple and areolar complex or overlying skin) This procedure is rarely performed to treat malignancies.
- 40 Total (simple) mastectomy, NOS
 - 41 WITHOUT removal of uninvolved contralateral breast
 - 42 WITH removal of uninvolved contralateral breast

A simple mastectomy removes all breast tissue, the nipple, and areolar complex. An axillary dissection is not done.

For single primaries only, code removal of <u>involved</u> contralateral breast under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- 50 Modified radical mastectomy
 - 51 WITHOUT removal of uninvolved contralateral breast
 - 52 WITH removal of uninvolved contralateral breast

<u>Modified radical mastectomy</u> removes all breast tissue, the nipple, the areolar complex, and variable amounts of breast skin. The procedure involves an en bloc resection of the axilla. The specimen may or may not include a portion of the pectoralis major muscle; includes an en bloc axillary dissection.

For single primaries only, code removal of <u>involved</u> contralateral breast under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

SURGERY OF PRIMARY SITE (cont.)

- 60 Radical mastectomy, NOS
 - 61 WITHOUT removal of uninvolved contralateral breast
 - 62 WITH removal of uninvolved contralateral breast

<u>Radical mastectomy</u> is the removal of breast tissue, nipple, areolar complex, a variable amount of skin, pectoralis minor, and pectoralis major; includes an en bloc axillary dissection.

For single primaries only, code removal of <u>involved</u> contralateral breast under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- 70 Extended radical mastectomy
 - 71 WITHOUT removal of uninvolved contralateral breast
 - 72 WITH removal of uninvolved contralateral breast

<u>Extended radical mastectomy</u> is the removal of breast tissue, nipple, areolar complex, variable amounts of skin, pectoralis minor, and pectoralis major; includes removal of internal mammary nodes and an en bloc axillary dissection.

For single primaries only, code removal of <u>involved</u> contralateral breast under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- 80 Mastectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

Since the codes are hierarchical, if more than one code is applicable, use the numerically higher code. For example, if multiple margins are microscopically and macroscopically involved, code the macroscopic involvement(s).

"Multiple margins" (4) are two or more *separate* margins microscopically involved with tumor. ONE margin having multiple foci of tumor would be coded as "Single margin" (3).

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 3 Single margin
 - 4 Multiple margins
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- **8** No cancer-directed surgery of primary site
- **9** Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

- 0 No regional lymph nodes removed
- 1 Sentinel lymph node(s) removed (the first node to receive drainage from a primary tumor, identified by an injection of a dye or radio label at the site of the primary tumor)
- 2 Regional lymph node(s) removed, NOS; axillary, NOS (Levels I, II, or III lymph nodes); intramammary, NOS
 - 3 Combination of 1 and 2
 - 4 Internal mammary
 - 5 Combination of 4 WITH any of 1-3
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code removal of fragments or tags of muscles; removal of the pectoralis minor; the resection of pectoralis muscles, NOS; or the resection of fascia with no mention of muscle.

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Removal of involved contralateral breast (single primary only)
 - 6 Combination of 4 or 5 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

(The insertion of a tissue expander is often the beginning of the reconstructive procedure.)

- **0** No reconstruction / restoration
- 1 Reconstruction, NOS (unknown if flap)
 - 2 Implant; reconstruction WITHOUT flap
 - 3 Reconstruction WITH flap, NOS
 - 4 Latissimus dorsi flap
 - 5 Abdomminus recti flap
 - 6 Flap, NOS + implant
 - 7 Latissimus dorsi flap + implant
 - 8 Abdominus recti + implant
- 9 Unknown; not stated; death certificate only

C53.0 - C53.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Vaginal, NOS
 - 2 Not assisted by endoscopy
 - 3 Assisted by colposcopy
 - 4 Assisted by laparoscopy
- 5 Open, NOS
 - 6 Not assisted by endoscopy
 - 7 Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

For **invasive** cancers, note that <u>dilation and curettage</u> is coded as an incisional biopsy (**02**) under the data item "Non Cancer-Directed Surgery."

- **00** None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 LEEP

No specimen sent to pathology from this surgical event.

- 20 Local tumor destruction or excision, NOS (WITH PATHOLOGY SPECIMEN)
 - **21** Electrocautery
 - 22 Cryosurgery
 - 23 Laser
 - 24 Cone biopsy WITH gross excision of lesion
 - 25 Dilatation and curettage; endocervical curettage (cancer-directed for in situ only)
 - 26 Excisional biopsy, NOS
 - 27 Cone biopsy
 - **28** LEEP
 - 29 Trachelectomy; removal of cervical stump; cervicectomy

Specimen sent to pathology from this surgical event.

30 Total hysterectomy (simple, pan-) WITHOUT removal of tubes and ovaries

Total hysterectomy removes both the corpus and cervix uteri and may also include a portion of vaginal cuff.

40 Total hysterectomy (simple, pan-) WITH removal of tubes or ovary

Total hysterectomy removes both the corpus and cervix uteri and may also include a portion of vaginal cuff.

- 50 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
 - 51 Modified radical hysterectomy
 - **52** Extended hysterectomy
 - 53 Radical hysterectomy; Wertheim's procedure
 - 54 Extended radical hysterectomy
- **60** Hysterectomy, NOS, WITH or WITHOUT removal of tubes and ovaries
 - 61 WITHOUT removal of tubes and ovaries
 - 62 WITH removal of tubes and ovaries

SURGERY OF PRIMARY SITE (cont.)

- **70** Pelvic exenteration
 - 71 Anterior exenteration (includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes)
 - The removal of <u>pelvic lymph nodes</u> is also coded under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."
 - 72 Posterior exenteration (includes rectum and rectosigmoid WITH ligamentous attachments and <u>pelvic lymph</u> nodes)
 - The removal of <u>pelvic lymph nodes</u> is also coded under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."
 - 73 Total exenteration (includes removal of all pelvic contents and <u>pelvic lymph nodes</u>)
 - The removal of <u>pelvic lymph nodes</u> is also coded under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."
 - **74** Extended exenteration (includes pelvic blood vessels or bony pelvis)
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Common iliac

External iliac

Hypogastric (obturator)

Internal iliac

Paracervical

Parametrial

Presacral

Sacral

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- **01** One regional lymph node removed
- 02 Two regional lymph nodes removed

.

- **90** Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code the <u>incidental removal</u> of the appendix. **Do not code** an <u>omentectomy **IF**</u> it was the only surgery performed in addition to hysterectomy. (<u>Incidental removal</u> is when an organ is removed for a reason unrelated to the malignancy.)

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s), NOS
 - 4 Periaortic lymph nodes
 - 5 Distant site(s)
 - 6 Combinations of 5 with 4
 - 7 Combination of 5 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Vaginal reconstruction
- 2 Urinary reconstruction
- 3 Bowel reconstruction / restoration
- 4 Combination of 3 with 1 or 2
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

C54.0 - C54.9, C55.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Vaginal, NOS
 - 2 Not assisted by endoscopy
 - 3 Assisted by colposcopy
 - 4 Assisted by laparoscopy
- 5 Open, NOS
 - 6 Not assisted by endoscopy
 - 7 Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

For **invasive** cancers, <u>dilation and curettage</u> is coded as an incisional biopsy (**02**) under the data item "Non Cancer-Directed Surgery."

- **00** None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser
 - 15 LEEP

No specimen sent to pathology from this surgical event.

Procedures in code 20 include, but are not limited to:

Cryosurgery

Electrocautery

Excisional biopsy

Laser ablation

Thermal ablation

- 20 Local tumor destruction or excision, NOS; simple excision, NOS (WITH PATHOLOGY SPECIMEN)
 - **21** Electrocautery
 - 22 Cryosurgery
 - 23 Laser
 - 24 Excisional biopsy
 - 25 Polypectomy
 - 26 Myomectomy

Specimen sent to pathology from this surgical event.

Margins of resection may have microscopic involvement.

- **30** Subtotal hysterectomy / supracervical hysterectomy / fundectomy WITH or WITHOUT removal of tube(s) and ovary(ies).
 - 31 WITHOUT tube(s) and ovary (ies)
 - **32** WITH tube(s) and ovary (ies)

Cervix is left in place.

40 Total hysterectomy (simple, pan-) WITHOUT removal of tube(s) and ovary (ies)

Total hysterectomy removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.

50 Total hysterectomy (simple, pan-) WITH removal of tube(s) or ovary (ies)

Total hysterectomy removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.

SURGERY OF PRIMARY SITE

- 60 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
 - **61** Modified radical hysterectomy
 - **62** Extended hysterectomy
 - 63 Radical hysterectomy; Wertheim's procedure
 - **64** Extended radical hysterectomy
- 70 Hysterectomy, NOS, WITH or WITHOUT removal of tube(s) and ovary(ies)
 - **71** WITHOUT removal of tube(s) and ovary(ies)
 - **72** WITH removal of tube(s) and ovary(ies)
- **80** Pelvic exenteration
 - 81 Anterior exenteration (includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes)
 - The removal of <u>pelvic lymph nodes</u> is also coded under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."
 - **82** Posterior exenteration (includes rectum and rectosigmoid WITH ligamentous attachments and <u>pelvic lymph</u> nodes)
 - The removal of <u>pelvic lymph nodes</u> is also coded under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."
 - 83 Total exenteration (includes removal of all pelvic contents and pelvic lymph nodes)
 - The removal of <u>pelvic lymph nodes</u> is also coded under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."
 - **84** Extended exenteration (includes pelvic blood vessels or bony pelvis)
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Common iliac and external iliac

Hypogastric (obturator)

Para aortic

Parametrial

Sacral

- No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Pariaortic with or without other regional lymph nodes
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- **02** Two regional lymph nodes removed

.

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code the <u>incidental removal</u> of the appendix. **Do not code** an <u>omentectomy **IF**</u> it was the only surgery performed in addition to hysterectomy. [<u>Incidental removal</u> is when an organ is removed for a reason unrelated to the malignancy.]

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Vaginal reconstruction
- 2 Urinary reconstruction
- 3 Bowel reconstruction / restoration
- 4 Combination of 3 with 1 or 2
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

C56.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS (laparoscopy)
 - 2 Not image guided
 - 3 Image guided

Open approaches include, but are not limited to:

Low transverse abdominal incision Vertical abdominal incision

- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - 6 Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Total removal of tumor or (single) ovary, NOS
 - 11 Resection of ovary (wedge, subtotal, or partial) ONLY, NOS; unknown if hysterectomy done
 - 12 WITHOUT hysterectomy
 - 13 WITH hysterectomy
 - 14 Unilateral (salpingo-) oophorectomy; unknown if hysterectomy done
 - 15 WITHOUT hysterectomy
 - 16 WITH hysterectomy
- 20 Bilateral (salpingo-)oophorectomy; unknown if hysterectomy done
 - **21** WITHOUT hysterectomy
 - 22 WITH hysterectomy
- **30** Unilateral or bilateral (salpingo-) oophorectomy **WITH OMENTECTOMY**, NOS; partial or total; unknown if hysterectomy done
 - 31 WITHOUT hysterectomy
 - 32 WITH hysterectomy
- 60 <u>Debulking</u>; cytoreductive surgery, NOS
 - 61 WITH colon (including appendix) and/or small intestine resection (not incidental)
 - **62** WITH partial resection of urinary tract (not incidental)
 - 63 Combination of 61 and 62

<u>Debulking</u> is a partial removal of the tumor mass and can involve the removal of multiple organ sites. It may include removal of ovaries and/or the uterus (a hysterectomy). The pathology report may or may not identify ovarian tissue. A debulking is usually followed by another treatment modality, such as chemotherapy.

SURGERY OF PRIMARY SITE (cont.)

- 70 Pelvic exenteration, NOS
 - 71 Anterior (includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and <u>pelvic</u> lymph nodes)

The removal of <u>pelvic lymph nodes</u> is also coded under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."

- 72 Posterior (includes rectum and rectosigmoid WITH ligamentous attachments and <u>pelvic lymph nodes</u>)

 The removal of <u>pelvic lymph nodes</u> is also coded under the data item "Surgery of Other Regional Sites,
 Distant Sites or Distant Lymph Nodes."
- 73 Total (includes removal of all pelvic contents and <u>pelvic lymph nodes</u>)
 The removal of <u>pelvic lymph nodes</u> is also coded under the data item "Surgery of Other Regional Sites, Distant Sites or Distant Lymph Nodes."
- 74 Extended (includes pelvic blood vessels or bony pelvis)
- 80 (Salpingo-) oophorectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

For this site only, this field will describe the <u>residual tumor</u> after cancer-directed surgery.

- 0 No visible residual tumor
- 1 Visible residual tumor, NOS
 - 2 Visible residual tumor, cumulative maximum of less than 1 cm
 - 3 Visible residual tumor, cumulative maximum of at least 1 cm, not more than 2 cm
 - 4 Visible residual tumor, cumulative maximum of more than 2 cm
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether visible residual tumor was present; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Common iliac

External iliac

Hypogastric (obturator)

Inguinal

Lateral sacral

Paraaortic

Pelvic, NOS

Retroperitoneal, NOS

- No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- **01** One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code an <u>incidental removal</u> of the appendix. (<u>Incidental removal</u> is when an organ is removed for a reason unrelated to the malignancy.)

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- 0 No reconstruction / restoration
- 1 Urinary reconstruction
- 2 Bowel reconstruction / restoration
- 3 Combination of 1 and 2
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

C61.9

SURGICAL APPROACH

Code the approach for a <u>radical prostatectomy</u> as "<u>retropubic</u>" (8) unless otherwise specified.

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS (transurethral)
- 2 Laparoscopic, NOS
- 3 Open, NOS
 - 4 Suprapubic
 - 5 Perineal
 - 7 Trans-sacral
 - 8 Retropubic
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

Do not code an <u>orchiectomy</u> in this field. For prostate primaries, orchiectomies are coded in the field "Hormone Therapy."

- **00** None; no cancer-directed surgery of primary site
- 10 Local tumor destruction or excision, NOS
 - 11 Transurethral resection (TURP), NOS
 - 12 TURP cancer is incidental finding during surgery for benign disease
 - 13 TURP patient had suspected/known cancer
 - 14 Cryoprostatectomy
 - 15 Laser
 - **16** Hyperthermia
 - 17 Other method of local resection or destruction
- 30 Subtotal or simple prostatectomy, NOS (a segmental resection or enucleation leaving the capsule intact)
- **40** Less than total prostatectomy, NOS (an enucleation using an instrument such as a Vapotrode which may leave all or part of the capsule intact)
- **50** Radical prostatectomy, NOS Total prostatectomy, NOS

These procedures include excision of prostate, prostatic capsule, ejaculatory ducts, seminal vesicle(s), and may include a narrow cuff of bladder neck.

70 Prostatectomy WITH en bloc resection of other organs; pelvic exenteration

Surgeries coded <u>70</u> are any prostatectomy WITH an <u>en bloc resection</u> of any other organs. The other organs may be partially or totally removed. <u>En bloc resection</u> is the removal of organs in one piece at one time. Procedures that may involve an en bloc resection include, but are not limited to: cystoprostatectomy, radical cystectomy, prostatectomy.

- 80 Prostatectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

The codes are hierarchical -- if more than one code is applicable, use the numerically higher code. For example, if multiple margins are microscopically and macroscopically involved, code the macroscopic involvement (5).

"<u>Multiple margins</u>" (4) are two or more *separate* margins microscopically involved with tumor. ONE margin having multiple foci of tumor would be coded as "Single margin" (3).

- **0** All margins grossly and microscopically negative
- 1 Margin(s) involved, NOS
 - 2 Microscopic involvement
 - 3 Single margin
 - 4 Multiple margins
 - 5 Macroscopic involvement, NOS
- 7 Margins not evaluable (TURP)
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Hypogastric

Iliac, NOS (internal and external)

Obturator

Pelvic, NOS

Periprostatic

Sacral, NOS (lateral presacral, promontory [Gerota's] or NOS)

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of nodes unknown /not stated and not documented as sampling or dissection
- 99 Unknown if regional lymph nodes removed; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code <u>orchiectomy</u> here. For prostate primaries, code orchiectomies under "Hormone Therapy."

The most commonly removed **distant** lymph nodes are: aortic (para-aortic, peri-aortic, lumbar); common iliac; inguinal; superficial inguinal (femoral); supraclavicular; cervical; and scalene.

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- 0 No reconstruction / restoration
- 1 Reconstruction / restoration, NOS
 - 2 Collagen injection for incontinence
 - **3** Penile prosthesis
 - 4 Artificial urinary sphincter
 - 5 Combinations of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

TESTIS

C62.0 - C62.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 4 Open, NOS
 - 5 Scrotal
 - 6 Inguinal
- 9 Death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local or partial excision of testicle
- 30 Excision of testicle, NOS WITHOUT cord
- 40 Excision of testicle, NOS WITH cord, /or cord not mentioned
- 80 Orchiectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

TESTIS

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Interaortocaval

Paraaortic (Periaortic)

Paracaval

Preaortic

Precaval

Retroaortic

Retrocaval

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS; not stated if bilateral or unilateral
 - 2 Unilateral regional lymph nodes
 - 3 Bilateral regional lymph nodes
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL NODES REMOVED

- 00 No regional lymph nodes removed
- **01** One regional lymph node removed
- 02 Two regional lymph nodes removed

....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

TESTIS

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Testicular implant
- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

C64.9, C65.9, C66.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - **11** Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - 21 Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - 26 Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

Procedures coded 30 include, but are not limited to:

Cryosurgery

Electrocautery

Excisional biopsy

Laser

Segmental resection

Thermal ablation

Wedge resection

30 Partial or subtotal nephrectomy (kidney or renal pelvis) or partial ureterectomy (ureter)

Margins of resection are grossly negative. There may be microscopic involvement.

 $\begin{tabular}{ll} \bf 40 & Complete / total / simple nephrectomy - for kidney parenchyma \\ Nephroureter ectomy \end{tabular}$

These procedures include bladder cuff for renal pelvis or ureter.

50 Radical nephrectomy (may include removal of a portion of vena cava, adrenal gland(s), Gerota's fascia, perinephric fat, or partial / total ureter)

SURGERY OF PRIMARY SITE (cont.)

70 Any nephrectomy (simple, subtotal, complete, partial, simple, total, radical) **PLUS** an en bloc resection of other organ(s) (colon, bladder)

The other organs, such as colon or bladder, may be partially or totally removed.

- 80 Nephrectomy, NOS Ureterectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional nodes for each site are:

<u>Kidney</u> <u>Renal Pelvis</u> <u>Ureter</u>

Aortic (para-aortic, periaortic, lateral aortic) Aortic Iliac [common, internal (hypogastric),

Paracaval Paracaval Renal hilar Retroperitoneal, NOS Retroperitoneal, NOS Periureteral

Periureteral Renal hilar

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS; not stated if bilateral or unilateral
 - 2 Unilateral regional lymph nodes
 - 3 Bilateral regional lymph nodes
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 91 Regional lymph node removal documented as a sampling, and number of nodes unknown/not stated
- 92 Regional lymph node removal documented as dissection and number of nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of nodes unknown /not stated and not documented as sampling or dissection
- 99 Unknown if regional lymph nodes removed; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code the incidental removal of ribs during the operative approach (ribs removed to provide access).

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Kidney transplant (primary site)
- 8 Reconstruction / restoration recommended, unknown if performed
- **9** Unknown; not stated; death certificate only

C67.0 - C67.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Cystoscopy (TURB)
 - 3 Laparoscopy
- 4 Open, NOS
 - 5 Not assisted by endoscopy (laparoscopy)
 - **6** Assisted by endoscopy (laparoscopy)
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - **21** Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - **26** Polypectomy
 - 27 Excisional biopsy (TURB)

Specimen sent to pathology from this surgical event.

- 30 Partial cystectomy
- 50 Simple / total / complete cystectomy
- **60** Radical cystectomy (male only)

This code is used only for males. A <u>radical cystectomy</u> in a male involves the removal of the bladder and prostate, with or without urethrectomy. (If a radical cystectomy is performed on a female, use code 71.)

- **70** Pelvic exenteration, NOS
 - 71 Radical cystectomy (female only); anterior exenteration

A <u>radical cystectomy</u> in a female includes removal of the bladder, uterus, ovaries, entire vaginal wall and entire urethra. (If a radical cystectomy is performed on a male, use code 60.)

- 72 Posterior exenteration
- 73 Total exenteration (includes removal of all pelvic contents and pelvic lymph nodes)
- **74** Extended exenteration (includes pelvic blood vessels or bony pelvis)
- 80 Cystectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are:

Hypogastric

Iliac (internal, external, NOS)

Obturator

Pelvic, NOS

Perivesical

Presacral

Sacral [lateral, sacral promontory (Gerota's)]

- No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS; not stated if bilateral or unilateral
 - 2 Unilateral regional lymph nodes
 - 3 Bilateral regional lymph nodes
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

Do not code the partial or total removal of a <u>ureter</u> during a cystectomy.

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

- **0** No reconstruction / restoration
- 1 Conduit diversion
- 2 <u>Continent reservoir</u> (a bladder substitute)

Types of continent reservoirs include, but are not limited to:

Hemi-Kock

Ileal reservoir

Ileocecal reservoir

Indiana or Mainz pouch

Koch

Studer pouch

W-shaped ileoneobladder by Hautmann

- 8 Reconstruction / restoration recommended, unknown if performed
- 9 Unknown; not stated; death certificate only

BRAIN and OTHER PARTS OF CENTRAL NERVOUS SYSTEM

C70.0 - C70.9 Meninges C71.0 - C71.9 Brain C72.0 - C72.9 Other Parts of Central Nervous System

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 4 Open
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

DO NOT CODE laminectomies for spinal cord primaries.

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction
- 20 Excision of tumor, lesion, or mass
 - 21 Subtotal resection, NOS
 - 22 Partial resection
 - 23 Debulking
- 30 Excision of tumor, lesion, or mass, NOS
 - **31** Total resection
 - 32 Gross resection
- 40 Partial resection, NOS
 - 41 Partial lobe
 - 42 Partial meninges
 - 43 Partial nerve(s)
- 50 Total resection (lobectomy of brain)
- 60 Radical resection (resection of primary site plus partial or total removal of surrounding organs / tissue)
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

BRAIN and OTHER PARTS OF CENTRAL NERVOUS SYSTEM

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

There are **NO regional lymph nodes** for the <u>brain</u>. Code "no regional lymph nodes removed" (0) <u>for all brain primaries</u>.

Central nervous system sites, however, do have regional lymph nodes.

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

There are **NO regional lymph nodes** for the <u>brain</u>. Code "no regional lymph nodes removed" (00) <u>for all brain primaries</u>.

<u>Central nervous system</u> sites, however, **do** have regional lymph nodes.

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

BRAIN and OTHER PARTS OF CENTRAL NERVOUS SYSTEM

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 5 Distant lymph node(s)
 - **6** Distant site(s)
 - 7 Combination of 6 WITH 2, 3, 4, or 5
- **9** Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

Use the following code only:

9 Not applicable (There are no known reconstructive procedures for this site.)

THYROID GLAND

C73.9

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Removal of less than a lobe, NOS
 - 11 Local surgical excision
 - 12 Removal of a partial lobe ONLY
- 20 Lobectomy and/or isthmectomy
 - 21 Lobectomy ONLY
 - 22 Isthmectomy ONLY
 - 23 Lobectomy WITH isthmus
- 30 Removal of a lobe and partial removal of the contralateral lobe
- 40 Subtotal or near total thyroidectomy
- 50 Total thyroidectomy
- 80 Thyroidectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

THYROID GLAND

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

The regional lymph nodes are the cervical and upper mediastinal lymph nodes.

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
 - 2 Neck dissection, NOS
 - 3 Selective, limited; nodal sampling; "berry picking"
 - 4 Modified / modified radical
 - 5 Radical
- 9 Unknown; not stated; death certificate only

Terminology of neck dissection (Robbins et al. 1991):

A <u>radical neck dissection</u> includes the removal of all ipsilateral cervical lymph node groups, i.e., lymph nodes from levels I through V (submental, submandibular, cranial jugular, medial jugular, caudal jugular, dorsal cervical nodes along the accessory nerve, and supraclavicular), and removal of the spinal accessory nerve, internal jugular vein and sternocleidomastoid muscle.

In a <u>modified radical neck dissection</u>, the same lymph nodes are removed as in a radical neck dissection; however, one or more non-lymphatic structures are preserved.

A <u>selective neck dissection</u> is a neck dissection with preservation of one or more lymph node groups routinely removed in radical neck dissection.

THYROID GLAND

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- **01** One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- 90 Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional site(s)
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- 9 Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

Use the following code only:

9 Not applicable (There are no known reconstructive procedures for this site.)

C14.2; C14.8	Waldeyer's ring; Overlapping lesion of lip, oral cavity and pharynx
C17.0 - C17.9	Small Intestine
C23.9	Gallbladder
C24.0 - C24.9	Other and Unspecified Parts of Biliary Tract
C26.0 - C26.9	Other and Ill-Defined Digestive Organs
C30.0 - C30.1	Nasal Cavity and Middle Ear
C31.0 - C31.9	Accessory Sinuses
C33.9	Trachea
C37.9	Thymus
C38.0 - C38.8	Heart, Mediastinum, and Pleura
C39.0 - C39.9	Other and Ill-Defined Sites Within Respiratory System and Intrathoracic
	Organs
C42.0, C42.1	Blood, Bone marrow
C42.3, C42.4	Reticuloendothelial system, Hematopoietic system
C48.0 - C48.8	Retroperitoneum and Peritoneum
C51.0 - C51.9	Vulva
C52.9	Vagina
C57.0 - C57.9	Other and Unspecified Female Genital Organs
C58.9	Placenta
C60.0 - C60.9	Penis
C63.0 - C63.9	Other and Unspecified Male Genital Organs
C68.0 - C68.9	Other and Unspecified Urinary Organs
C69.0 - C69.9	Eye and Adnexa
C74.0 - C76.8	Adrenal Gland; Other Endocrine Glands and Related Structures; Other and
	Ill-Defined Sites
C80.9	Unknown Primary Site

SURGICAL APPROACH

- **0** None; no cancer-directed surgery of primary site
- 1 Endoscopy, NOS
 - 2 Not image guided
 - 3 Image guided
- 4 Open, NOS
 - 5 Not assisted by endoscopy
 - **6** Assisted by endoscopy
- 9 Unknown; not stated; death certificate only

SURGERY OF PRIMARY SITE

- 00 None; no cancer-directed surgery of primary site
- 10 Local tumor destruction, NOS (WITHOUT PATHOLOGY SPECIMEN)
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery' fulguration
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from this surgical event.

- 20 Local tumor excision, NOS (WITH PATHOLOGY SPECIMEN)
 - **21** Photodynamic therapy (PDT)
 - 22 Electrocautery
 - 23 Cryosurgery
 - 24 Laser ablation
 - 25 Laser excision
 - **26** Polypectomy
 - 27 Excisional biopsy

Specimen sent to pathology from this surgical event.

- 30 Simple / partial surgical removal of primary site
- 40 Total surgical removal of primary site
- **50** Surgery stated to be "debulking"
- **60** Radical surgery (partial or total removal of the primary site WITH an en bloc resection (partial or total removal) of other organs)
- 90 Surgery, NOS
- 99 Unknown if cancer-directed surgery performed; death certificate only

SURGICAL MARGINS

- **0** All margins grossly and microscopically negative
- 1 Margins involved, NOS
 - 2 Microscopic involvement
 - 5 Macroscopic involvement
- 7 Margins not evaluable
- 8 No cancer-directed surgery of primary site
- 9 Unknown whether margins were involved or negative; death certificate only

SCOPE OF REGIONAL LYMPH NODE SURGERY

- 0 No regional lymph nodes removed
- 1 Regional lymph node(s) removed, NOS
- 9 Unknown; not stated; death certificate only

NUMBER OF REGIONAL LYMPH NODES REMOVED

- 00 No regional lymph nodes removed
- 01 One regional lymph node removed
- 02 Two regional lymph nodes removed

.....

- **90** Ninety or more regional lymph nodes removed
- 95 No regional lymph node(s) removed but aspiration of regional lymph node(s) was performed
- 96 Regional lymph node removal documented as a sampling and number of lymph nodes unknown/not stated
- 97 Regional lymph node removal documented as dissection and number of lymph nodes unknown/not stated
- **98** Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection
- 99 Unknown; not stated; death certificate only

SURGERY OF OTHER REGIONAL SITES, DISTANT SITES OR DISTANT LYMPH NODES

- **0** None; no surgery to other regional or distant sites
- 1 Surgery to other site(s) or node(s), NOS; unknown if regional or distant
 - 2 Other regional sites
 - 3 Distant lymph node(s)
 - 4 Distant site(s)
 - 5 Combination of 4 WITH 2 or 3
- **9** Unknown; not stated; death certificate only

RECONSTRUCTION / RESTORATION - FIRST COURSE

Use the following code only:

9 Not applicable (At this time, reconstructive procedures are not being collected for these sites.)